

Compliance Designs

CLIENT: Rocky Harvest, LLC
743 Broad Street, Unit #1
East Weymouth, MA 02189

DATE OF REPORT: Quarter 1, 2024
REPORT #: 664-030
LABORATORY ID#: 380-79686-1, 380-82243-1

NOTE: “*” indicates that maximum levels have been exceeded, or in the case of pH, is either too high or too low
“ND” indicates that none of this analyte has been detected at or above the specified detection level
“MCL” indicates maximum contaminant level as established by NYSHD for bottled water
“RL” indicates laboratory reporting limit for method
Units results are reported in mg/L unless otherwise noted

ANALYSIS PERFORMED	MCL ¹ (mg/L)	RL (mg/L)	HARVEST SPRING—TREATED 664-030 (mg/L)
Primary Inorganics			
Antimony	--	0.001	ND
Arsenic	0.05	0.002	ND
Barium	1	0.002	0.0081
Cadmium	0.01	0.0005	ND
Chromium	0.05	0.001	ND
Fluoride	2.2	0.05	ND
Lead	0.05	0.0005	ND
Mercury	0.002	0.0002	ND
Nickel	--	0.005	ND
Nitrogen, Nitrate	10	0.05	0.86
Nitrogen, Nitrite	--	0.05	ND
Nitrogen - NO3/NO2 (NOX)	10	0.05	0.86
Selenium	0.01	0.005	ND
Secondary Inorganics			
Alkalinity	--	2	18
Bicarb. Alkalinity	--	2	18
Calcium	--	1	7.0
Chloride	250	0.5	11
Copper	1	0.002	ND
Corrosivity	--	-14	-2.6
Hardness, Calcium	--	2.5	18
Hardness, Total	--	3	28
Iron	0.3	0.01	ND
Magnesium	--	0.1	2.6
Manganese	0.3	0.002	0.0085
pH	--	0.01	6.6
Potassium	--	1.0	ND
Silver	0.05	0.0005	ND
Sodium	--	1	8.5
Sulfate	250	0.25	9.5
TDS	--	10	74
Zinc	5	0.02	ND
Physical			
Color	--	2	ND
Odor	--	1	1.0
Turbidity	--	0.1	0.45
Radiologicals			
Gross Alpha	15 pCi/L	3	ND
Gross Beta	50 pCi/L ²	4	ND
Radium 226/228	5 pCi/L	1 / 1	ND / ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	HARVEST SPRING—TREATED 664-030 (mg/L)
Volatile Organic Compounds			
EPA 524.2:			
Total Trihalomethanes	0.1	0.0005	ND
tert-Amyl Methyl Ether (TAME)	--	0.003	ND
tert-Butyl-Ethyl Ether (TBEE)	--	0.003	ND
Benzene	0.005	0.0005	ND
Bromobenzene	0.005	0.0005	ND
Bromochloromethane	0.005	0.0005	ND
Bromodichloromethane	--	0.0005	ND
Bromoform	--	0.0005	ND
Bromomethane	0.005	0.0005	ND
n-Butylbenzene	0.005	0.0005	ND
sec-Butylbenzene	0.005	0.0005	ND
tert-Butylbenzene	0.005	0.0005	ND
Carbon Disulfide	--	0.0005	ND
Carbon Tetrachloride	0.005	0.0005	ND
Chlorobenzene	0.005	0.0005	ND
Chloroethane	0.005	0.0005	ND
Chloroform	--	0.0005	ND
Chloromethane	0.005	0.0005	ND
2-Chlorotoluene	0.005	0.0005	ND
4-Chlorotoluene	0.005	0.0005	ND
Chlorodibromomethane	--	0.0005	ND
Dibromomethane	0.005	0.0005	ND
1,2-Dichlorobenzene	0.005	0.0005	ND
1,3-Dichlorobenzene	--	0.0005	ND
1,4-Dichlorobenzene	0.005	0.0005	ND
Dichlorodifluoromethane	0.005	0.0005	ND
1,1-Dichloroethane	0.005	0.0005	ND
1,2-Dichloroethane	0.005	0.0005	ND
1,1-Dichloroethylene	0.005	0.0005	ND
cis-1,2-Dichloroethylene	0.005	0.0005	ND
trans-1,2-Dichloroethylene	0.005	0.0005	ND
1,2-Dichloropropane	0.005	0.0005	ND
1,3-Dichloropropane	0.005	0.0005	ND
2,2-Dichloropropane	0.005	0.0005	ND
1,1-Dichloropropene	0.005	0.0005	ND
cis-1,3-Dichloropropene	0.005	0.0005	ND
trans-1,3-Dichloropropene	0.005	0.0005	ND
Di-Isopropyl Ether	--	0.003	ND
Ethylbenzene	0.005	0.0005	ND
Hexachlorobutadiene	0.005	0.0005	ND
Isopropylbenzene	0.005	0.0005	ND
4-Isopropyltoluene	0.005	0.0005	ND
Methyl tert-Butyl Ether (MTBE)	--	0.0005	ND
Methyl Ethyl Ketone (MEK)	--	0.005	ND
Methylene Chloride	0.005	0.0005	ND
Naphthalene	--	0.0005	ND
n-Propylbenzene	0.005	0.0005	ND
Styrene	0.005	0.0005	ND
1,1,1,2-Tetrachloroethane	0.005	0.0005	ND
1,1,2,2-Tetrachloroethane	0.005	0.0005	ND
Tetrachloroethylene	0.005	0.0005	ND
Toluene	0.005	0.0005	ND
1,2,3-Trichlorobenzene	0.005	0.0005	ND
1,2,4-Trichlorobenzene	0.005	0.0005	ND
1,1,1-Trichloroethane	0.005	0.0005	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	HARVEST SPRING—TREATED 664-030 (mg/L)
EPA 524.2 continued:			
1,1,2-Trichloroethane	0.005	0.0005	ND
Trichloroethylene	0.005	0.0005	ND
Trichlorofluoromethane	0.005	0.0005	ND
Trichlorotrifluoroethane	--	0.0005	ND
1,2,3-Trichloropropane	0.005	0.0005	ND
1,2,4-Trimethylbenzene	0.005	0.0005	ND
1,3,5-Trimethylbenzene	0.005	0.0005	ND
Vinyl Chloride	0.002	0.0003	ND
m+p-Xylenes	0.005	0.0005	ND
ortho-Xylene	0.005	0.0005	ND
Total Xylene	0.005	0.0005	ND
Add'l Organics			
EPA 505:			
Alachlor	--	0.0001	ND
Aldrin	--	0.00001	ND
Chlordane (alpha and gamma)	--	0.0001	ND
Dieldrin	--	0.00001	ND
Endrin	0.0002	0.00001	ND
Heptachlor	--	0.00001	ND
Heptachlor Epoxide	--	0.00001	ND
Lindane	0.004	0.00001	ND
Methoxychlor	0.05	0.00005	ND
Total PCBs	--	0.0001	ND
PCB 1016	--	0.000071	ND
PCB 1221	--	0.0001	ND
PCB 1232	--	0.0001	ND
PCB 1242	--	0.0001	ND
PCB 1248	--	0.0001	ND
PCB 1254	--	0.0001	ND
PCB 1260	--	0.000071	ND
Toxaphene	0.005	0.0005	ND
EPA 515.4:			
Acifluorfen	--	0.0002	ND
Bentazon	--	0.0005	ND
2,4-D	0.05	0.0001	ND
2,4-DB	--	0.002	ND
Dalapon	--	0.001	ND
Dicamba	--	0.0001	ND
3,5-Dichlorobenzoic Acid	--	0.0005	ND
Dichlorprop	--	0.0005	ND
Dinoseb	--	0.0002	ND
Pentachlorophenol	--	0.00004	ND
Picloram	--	0.0001	ND
2,4,5-T	--	0.0002	ND
2,4,5-TP (Silvex)	0.01	0.0002	ND
Disinfection Byproducts			
EPA 317:			
Bromate	0.010	0.001	ND

EPA approved methods were used in all of the analyses and a listing is available upon request. These test results may be used for compliance purposes as required.

¹ The FDA, EPA, some State agencies and/or the IBWA may have established alternate MCLs for some of these analytes. Please refer to Federal, State and Industry codes.

² The bottled water shall not contain beta particle and photon radioactivity from man-made radionuclides in excess of that which would produce an annual dose equivalent to the total body or any internal organ of 4 millirems per year calculated on the basis of an intake of 2 liters of the water per day (=50 pCi/L).

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: (664) Water Quality Manager
Harvest Spring
743 Broad Street
Weymouth, Massachusetts 02189

Generated 2/19/2024 2:28:04 PM

JOB DESCRIPTION

664-030
Harvest Spring - Weymouth - Spring Treated

JOB NUMBER

380-79686-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Authorization



Generated
2/19/2024 2:28:04 PM

Authorized for release by
Rachelle Arada, Project Manager
Rachelle.Arada@et.eurofinsus.com
(626)386-1106

Case Narrative

Client: Harvest Spring
Project: 664-030

Job ID: 380-79686-1

Job ID: 380-79686-1

Eurofins Eaton Analytical Pomona

Job Narrative 380-79686-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Results are compliant with EEA's SOPs which have been accepted by regulatory authorities, except where non-conformances are noted either in the case narrative or with result flags. This is compliant with the TNI 2016 and ISO17025:2017 standards.

Receipt

The samples were received on 1/23/2024 8:56 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.3°C

Receipt Exceptions

The following sample was improperly preserved in the field: 664-030 Harvest Spring-Treated (380-79686-1). The preservative used is not compatible with the analytes requested. This does not meet regulatory requirements.

Received General Physical in a Amber glass 1 liter w/HCL. Only Turbidity can be ran. Poured off from a unpreserved sample.

The client was notified about this issue and, the laboratory was instructed to cancel analysis of Color and Odor. Client will re-sample.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS VOA

Method 524.2: The following sample(s) were collected in properly preserved vials for analysis of volatile organic compounds (VOCs). However, the pH was outside the required criteria when verified by the laboratory, and corrective action was not possible: 664-030 Harvest Spring-Treated (380-79686-1).

The container that was analyzed and all remaining available containers were found to have a pH of 5; EPA Method 524.2 requires the pH of the samples be adjusted below 2 at the time of sampling using hydrochloric acid.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 200.8 SDWA: The continuing calibration blank (CCB) for analytical batch 380-73252 contained Silver above the detection limit. All reported samples associated with this CCB were either ND for this analyte or contained this analyte at a concentration greater than 10X the value found in the CCB; therefore, re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gas Flow Proportional Counter

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Eaton Analytical Pomona

Case Narrative

Client: Harvest Spring
Project: 664-030

Job ID: 380-79686-1

Job ID: 380-79686-1 (Continued)

Eurofins Eaton Analytical Pomona

Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Sample Summary

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-79686-1
SDG: Harvest Spring - Weymouth - Spring Treated

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Collected</u>	<u>Received</u>
380-79686-1	664-030 Harvest Spring-Treated	Drinking Water	01/22/24 09:05	01/23/24 08:56

- 1
- 2
- 3
- 4
- 5
- 6
- 7

Client Sample Results

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-79686-1
SDG: Harvest Spring - Weymouth - Spring Treated

Client Sample ID: 664-030 Harvest Spring-Treated

Lab Sample ID: 380-79686-1

Date Collected: 01/22/24 09:05

Matrix: Drinking Water

Date Received: 01/23/24 08:56

Method: 505 - Organochlorine Pesticides/PCBs (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Alachlor (Alanex)	<0.10		0.10		ug/L		01/25/24 20:43	1	ULRL
Aldrin	<0.010		0.010		ug/L		01/25/24 20:43	1	ULRL
Chlordane	<0.10		0.10		ug/L		01/25/24 20:43	1	ULRL
Dieldrin	<0.010		0.010		ug/L		01/25/24 20:43	1	ULRL
Endrin	<0.010		0.010		ug/L		01/25/24 20:43	1	ULRL
Heptachlor	<0.010		0.010		ug/L		01/25/24 20:43	1	ULRL
Heptachlor epoxide (isomer B)	<0.010		0.010		ug/L		01/25/24 20:43	1	ULRL
Lindane	<0.010		0.010		ug/L		01/25/24 20:43	1	ULRL
Methoxychlor	<0.050		0.050		ug/L		01/25/24 20:43	1	ULRL
PCB-1016	<0.071		0.071		ug/L		01/25/24 20:43	1	ULRL
PCB-1221	<0.10		0.10		ug/L		01/25/24 20:43	1	ULRL
PCB-1232	<0.10		0.10		ug/L		01/25/24 20:43	1	ULRL
PCB-1242	<0.10		0.10		ug/L		01/25/24 20:43	1	ULRL
PCB-1248	<0.10		0.10		ug/L		01/25/24 20:43	1	ULRL
PCB-1254	<0.10		0.10		ug/L		01/25/24 20:43	1	ULRL
PCB-1260	<0.071		0.071		ug/L		01/25/24 20:43	1	ULRL
Polychlorinated biphenyls, Total	<0.10		0.10		ug/L		01/25/24 20:43	1	ULRL
Toxaphene	<0.50		0.50		ug/L		01/25/24 20:43	1	ULRL

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
Tetrachloro-m-xylene	93		70 - 130	01/25/24 20:43	1	ULRL

Method: 515.4 - Herbicides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,4,5-T	<0.20		0.20		ug/L		01/30/24 06:58	1	K9GY
2,4,5-TP (Silvex)	<0.20		0.20		ug/L		01/30/24 06:58	1	K9GY
2,4-D	<0.10		0.10		ug/L		01/30/24 06:58	1	K9GY
2,4-DB	<2.0		2.0		ug/L		01/30/24 06:58	1	K9GY
3,5-Dichlorobenzoic acid	<0.50		0.50		ug/L		01/30/24 06:58	1	K9GY
Acifluorfen	<0.20		0.20		ug/L		01/30/24 06:58	1	K9GY
Bentazon	<0.50		0.50		ug/L		01/30/24 06:58	1	K9GY
Dalapon	<1.0		1.0		ug/L		01/30/24 06:58	1	K9GY
Dicamba	<0.10		0.10		ug/L		01/30/24 06:58	1	K9GY
Dichlorprop	<0.50		0.50		ug/L		01/30/24 06:58	1	K9GY
Dinoseb	<0.20		0.20		ug/L		01/30/24 06:58	1	K9GY
Pentachlorophenol	<0.040		0.040		ug/L		01/30/24 06:58	1	K9GY
Picloram	<0.10		0.10		ug/L		01/30/24 06:58	1	K9GY

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
2,4-Dichlorophenylacetic acid (Surr)	107		70 - 130	01/30/24 06:58	1	K9GY

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Chloride	11		0.50		mg/L		01/23/24 21:53	1	VB9B
Nitrate as N	0.86		0.050		mg/L		01/23/24 21:53	1	VB9B
Nitrite as N	<0.050		0.050		mg/L		01/23/24 21:53	1	VB9B
Sulfate	9.5		0.25		mg/L		01/23/24 21:53	1	VB9B

Method: 300.0 - Nitrogen, Nitrate-Nitrite

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Nitrate Nitrite as N	0.86		0.050		mg/L		01/23/24 21:53	1	C4WQ

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-79686-1
SDG: Harvest Spring - Weymouth - Spring Treated

Client Sample ID: 664-030 Harvest Spring-Treated

Lab Sample ID: 380-79686-1

Date Collected: 01/22/24 09:05

Matrix: Drinking Water

Date Received: 01/23/24 08:56

Method: 317 - Bromate, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Bromate	<1.0		1.0		ug/L		02/08/24 11:57	1	VB9B

Method: 200.7 - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Boron	<0.050		0.050		mg/L		01/24/24 14:50	1	J9ZD
Calcium	7.0		1.0		mg/L		01/24/24 14:50	1	J9ZD
Iron	<0.010		0.010		mg/L		01/24/24 14:50	1	J9ZD
Magnesium	2.6		0.10		mg/L		01/24/24 14:50	1	J9ZD
Potassium	<1.0		1.0		mg/L		01/24/24 14:50	1	J9ZD
Sodium	8.5		1.0		mg/L		01/24/24 14:50	1	J9ZD

Method: 200.8 - Mercury (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Hg	<0.20		0.20		ug/L		01/24/24 15:58	1	AAE8

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Aluminum	<20		20		ug/L		01/24/24 15:58	1	AAE8
Antimony	<1.0		1.0		ug/L		01/24/24 15:58	1	AAE8
Arsenic	<2.0		2.0		ug/L		01/24/24 15:58	1	AAE8
Barium	8.1		2.0		ug/L		01/24/24 15:58	1	AAE8
Beryllium	<1.0		1.0		ug/L		01/24/24 15:58	1	AAE8
Cadmium	<0.50		0.50		ug/L		01/24/24 15:58	1	AAE8
Chromium	<1.0		1.0		ug/L		01/24/24 15:58	1	AAE8
Copper	<2.0		2.0		ug/L		01/24/24 15:58	1	AAE8
Lead	<0.50		0.50		ug/L		01/24/24 15:58	1	AAE8
Manganese	8.5		2.0		ug/L		01/24/24 15:58	1	AAE8
Nickel	<5.0		5.0		ug/L		01/24/24 15:58	1	AAE8
Selenium	<5.0		5.0		ug/L		01/24/24 15:58	1	AAE8
Silver	<0.50 ^2		0.50		ug/L		01/24/24 15:58	1	AAE8
Thallium	<1.0		1.0		ug/L		01/24/24 15:58	1	AAE8
Uranium	<1.0		1.0		ug/L		01/24/24 15:58	1	AAE8
Zinc	<20		20		ug/L		01/24/24 15:58	1	AAE8
Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Uranium	<0.67		0.67		pCi/L		01/24/24 15:58	1	AAE8

Method: SM 2340B - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Hardness (as CaCO3)	28		3.0		mg/L		01/24/24 22:29	1	D5TU
Calcium hardness as CaCO3	18		2.5		mg/L		01/24/24 22:29	1	D5TU
Magnesium hardness as calcium carbonate	11		0.80		mg/L		01/24/24 22:29	1	D5TU

General Chemistry

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Analyzed	Dil Fac	Analyst
Corrosivity	-2.6				LangSU		01/23/24 16:06	1	V7DE
Langelier Index	-2.6				LangSU		01/23/24 16:06	1	V7DE
Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Turbidity	0.45		0.10		NTU		01/23/24 11:06	1	PK4Q
Alkalinity as CaCO3	18		2.0		mg/L		01/31/24 00:22	1	GP4S

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-79686-1
SDG: Harvest Spring - Weymouth - Spring Treated

Client Sample ID: 664-030 Harvest Spring-Treated

Lab Sample ID: 380-79686-1

Date Collected: 01/22/24 09:05

Matrix: Drinking Water

Date Received: 01/23/24 08:56

General Chemistry (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Bicarbonate Alkalinity as CaCO3	18		2.0		mg/L		01/31/24 00:22	1	GP4S
Carbonate Alkalinity as CaCO3	<2.0		2.0		mg/L		01/31/24 00:22	1	GP4S
Hydroxide Alkalinity as CaCO3	<2.0		2.0		mg/L		01/31/24 00:22	1	GP4S
Total Dissolved Solids	74		10		mg/L		01/23/24 14:55	1	UJRF
Fluoride	<0.050		0.050		mg/L		01/30/24 20:25	1	GP4S

Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
pH	6.6	HF	0.01		SU		01/26/24 02:12	1	GP4S

Method: 900.0 - Gross Alpha and Gross Beta Radioactivity

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Gross Alpha	1.89		0.947	0.971	3.00	0.762	pCi/L	02/02/24 07:18	1	FLC
Gross Beta	2.04		0.684	0.714	4.00	0.490	pCi/L	02/02/24 07:18	1	FLC

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-226	0.117		0.0826	0.0833	1.00	0.0735	pCi/L	02/16/24 07:34	1	EMH

Carrier	%Yield	Qualifier	Limits	Analyzed	Dil Fac	Analyst
Ba Carrier	96.7		30 - 110	02/16/24 07:34	1	EMH

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-228	0.510		0.371	0.374	1.00	0.345	pCi/L	02/05/24 11:58	1	FLC

Carrier	%Yield	Qualifier	Limits	Analyzed	Dil Fac	Analyst
Ba Carrier	96.7		30 - 110	02/05/24 11:58	1	FLC
Y Carrier	80.7		30 - 110	02/05/24 11:58	1	FLC

Method: Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium 226 and 228	0.626		0.380	0.383	5.00	0.345	pCi/L	02/14/24 17:03	1	CAH

Action Limit Summary

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-79686-1
SDG: Harvest Spring - Weymouth - Spring Treated

Client Sample ID: 664-030 Harvest Spring-Treated

Lab Sample ID: 380-79686-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor (Alanex)	<0.10		ug/L	2	0.10	505	Total/NA
Chlordane	<0.10		ug/L	2	0.10	505	Total/NA
Endrin	<0.010		ug/L	2	0.010	505	Total/NA
Heptachlor	<0.010		ug/L	0.4	0.010	505	Total/NA
Heptachlor epoxide (isomer B)	<0.010		ug/L	0.2	0.010	505	Total/NA
Lindane	<0.010		ug/L	0.2	0.010	505	Total/NA
Methoxychlor	<0.050		ug/L	40	0.050	505	Total/NA
Polychlorinated biphenyls, Total	<0.10		ug/L	0.5	0.10	505	Total/NA
Toxaphene	<0.50		ug/L	3	0.50	505	Total/NA
2,4,5-TP (Silvex)	<0.20		ug/L	50	0.20	515.4	Total/NA
2,4-D	<0.10		ug/L	70	0.10	515.4	Total/NA
Dalapon	<1.0		ug/L	200	1.0	515.4	Total/NA
Dinoseb	<0.20		ug/L	7	0.20	515.4	Total/NA
Pentachlorophenol	<0.040		ug/L	1	0.040	515.4	Total/NA
Picloram	<0.10		ug/L	500	0.10	515.4	Total/NA
Nitrate as N	0.86		mg/L	10	0.050	300.0	Total/NA
Nitrite as N	<0.050		mg/L	1	0.050	300.0	Total/NA
Nitrate Nitrite as N	0.86		mg/L	10	0.050	300.0	Total/NA
Bromate	<1.0		ug/L	10	1.0	317	Total/NA
Hg	<0.20		ug/L	2	0.20	200.8	Total/NA
Antimony	<1.0		ug/L	6	1.0	200.8	Total/NA
Arsenic	<2.0		ug/L	10	2.0	200.8	Total/NA
Barium	8.1		ug/L	2000	2.0	200.8	Total/NA
Beryllium	<1.0		ug/L	4	1.0	200.8	Total/NA
Cadmium	<0.50		ug/L	5	0.50	200.8	Total/NA
Chromium	<1.0		ug/L	100	1.0	200.8	Total/NA
Lead	<0.50		ug/L	15.000	0.50	200.8	Total/NA
Selenium	<5.0		ug/L	50	5.0	200.8	Total/NA
Thallium	<1.0		ug/L	2	1.0	200.8	Total/NA
Uranium	<1.0		ug/L	30	1.0	200.8	Total/NA
Uranium	<0.67		pCi/L	30	0.67	200.8	Total/NA
Fluoride	<0.050		mg/L	4	0.050	SM 4500 F C	Total/NA
Gross Alpha	1.89		pCi/L	15	3.00	900.0	Total/NA
Radium 226 and 228	0.626		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Accreditation/Certification and Definitions Summary

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-79686-1
SDG: Harvest Spring - Weymouth - Spring Treated

Laboratory: Eurofins Eaton Analytical Pomona

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5890.01 & 5890.02	06-30-25
Alabama	State	41060	01-31-25
Arizona	State	AZ0833	02-27-24
Arkansas (DW)	State	CA00006	02-29-24
California	State	2813	06-18-25
Colorado	State	CA00006	01-31-25
Connecticut	State	PH-0107	03-31-24
Delaware (DW)	State	CA00006	02-29-24
Florida	NELAP	E871024	06-30-24
Georgia (DW)	State	947	01-31-24 *
Guam	State	23-004R	03-31-24
Hawaii	State	CA00006	01-31-24 *
Hawaii (Micro)	State	CA00006	01-31-24 *
Idaho (DW)	State	CA00006	01-31-25
Idaho (Micro)	State	CA00006	03-31-24
Illinois	NELAP	200033	03-17-24
Indiana	State	C-CA-01	06-18-25
Kansas	NELAP	E-10268	04-30-24
Kentucky (DW)	State	KY90107	12-31-24
Louisiana (DW)	State	LA008	12-31-24
Maine	State	CA00006A	03-08-24
Maryland	State	224	03-31-24
Massachusetts	State	M-CA006	06-30-24
MI - RadChem Recognition	State	9906	06-18-25
Michigan	State	9906	06-18-25
Mississippi	State	CA2813	06-18-25
Montana (DW)	State	CERT0035	01-01-25
Nebraska	State	NE-OS-21-13	01-31-25
Nevada	State	CA00006	07-31-24
New Hampshire	NELAP	2959	03-29-24
New Jersey	NELAP	CA008	06-30-24
New Mexico	State	CA00006	01-31-25
New York	NELAP	11320	04-01-24
North Carolina (DW)	State	06701	07-31-24
North Dakota	State	R-009	01-31-24 *
Northern Mariana Islands (DW)	State	CA00006	01-31-25
Ohio	State	87786	01-31-25
Oregon	NELAP	4034	01-29-25
Pennsylvania	NELAP	68-00565	10-31-24
Puerto Rico	State	CA00006	03-31-24
Rhode Island	State	LAO00381	12-30-24
South Dakota (DW)	State	CA11320	06-18-25
Tennessee	State	TN02839	01-31-25
Texas	NELAP	T104704230-23-21	09-30-24
USEPA UCMR 5	US Federal Programs	CA00006	12-31-25
Utah	NELAP	CA00006	01-31-25
Vermont	State	VT-0114	12-28-24
Virginia	NELAP	460260	06-14-24
Washington	State	C838	03-13-24
Wyoming	State	8-TMS-L	06-18-25

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification and Definitions Summary

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-79686-1
SDG: Harvest Spring - Weymouth - Spring Treated

Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-25
ANAB	Dept. of Defense ELAP	L2305	04-06-25
ANAB	Dept. of Energy	L2305.01	04-06-25
ANAB	ISO/IEC 17025	L2305	04-06-25
Arizona	State	AZ0813	12-08-24
California	Los Angeles County Sanitation Districts	10259	06-30-22 *
California	State	2886	06-30-24
Connecticut	State	PH-0241	03-31-25
Florida	NELAP	E87689	06-30-24
HI - RadChem Recognition	State	n/a	06-30-24
Illinois	NELAP	200023	11-30-24
Iowa	State	373	12-01-24
Kansas	NELAP	E-10236	10-31-24
Kentucky (DW)	State	KY90125	12-31-24
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-24
Louisiana	NELAP	04080	06-30-22 *
Louisiana (All)	NELAP	04080	06-30-24
Louisiana (DW)	State	LA011	12-31-24
Maryland	State	310	09-30-24
Massachusetts	State	M-MO054	06-30-24
MI - RadChem Recognition	State	9005	06-30-24
Missouri	State	780	06-30-25
Nevada	State	MO00054	07-31-24
New Jersey	NELAP	MO002	06-30-24
New Mexico	State	MO00054	06-30-24
New York	NELAP	11616	03-31-24
North Carolina (DW)	State	29700	07-31-24
North Dakota	State	R-207	06-30-24
Oklahoma	NELAP	9997	08-31-24
Oregon	NELAP	4157	09-01-24
Pennsylvania	NELAP	68-00540	02-28-24
South Carolina	State	85002001	06-30-24
Texas	NELAP	T104704193	07-31-24
US Fish & Wildlife	US Federal Programs	058448	07-31-24
USDA	US Federal Programs	P330-17-00028	05-18-26
Utah	NELAP	MO00054	07-31-24
Virginia	NELAP	10310	06-15-25
Washington	State	C592	08-30-24
West Virginia DEP	State	381	10-31-24

Qualifiers

Metals

Qualifier	Qualifier Description
^2	Calibration Blank (ICB and/or CCB) is outside acceptance limits.

General Chemistry

Qualifier	Qualifier Description
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification and Definitions Summary

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-79686-1
SDG: Harvest Spring - Weymouth - Spring Treated

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
MRL	Method Reporting Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
SDL	Sample Detection Limit
SDL	Sample Detection Limit
SDL	Sample Detection Limit
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Chain of Custody Record



Client Information		Lab P/M		COC No	
Client Contact: Ed Rose		Arada, Rachelle		380-51661-14866.1	
Company: Harvest Spring		E-Mail: Rachelle.Arada@et.eurofins.com		Page	
Address: 743 Broad Street		State of Origin: MA		Page 1 of 2	
City: Weymouth		Carder Tracking No(s): 838-1531-595		Job #	
State, Zip: MA, 02189		PWSID: 422006-016			
Phone:		Phone: 81-749-4849			
Email:					
Project Name: Generic BAT (non-Coke/CGR/Shasta)_2024		Due Date Requested:		Preservation Codes:	
Site:		TAT Requested (days):		M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 X - EDTA Y - Trizma Z - other (specify)	
Project #: 38006363		Compliance Project: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:	
SSOW#:		Purchase Order not required		Total Number of containers	
		PO #:		2540C_Calc'd - Total Dissolved Solids	
		WG #:		180.4, 2120B, SM2150_Odor_B	
		Sample Date		515.4_PREC - (MOD) 50 State	
		Sample Time		SM240B - Local Method	
		Sample Type (C=Comp, G=grab)		NO2NO3_Calc, SM2330B	
		Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Alp)		524.2_TTM_Sum - Total Trihalomethanes	
		Preservation Code:		317 - Bromate	
		Sample Date		200.7_SDWA, 200.8_Hg, 200.8_SDWA	
		Sample Time		2320B, SM4500_H+	
		Sample Type		505_PREC - 50 State	
		Field Filtered Sample (Yes or No)		900.0 - Standard Target List	
		Perform MS/MSD (Yes or No)		904.0 - Standard Target List	
		Field Filtered Sample (Yes or No)		903.0 - Standard Target List	
		Sample Identification		Special Instructions/Note:	
664-030 Harvest Spring-Treated		1/22/24 9:05 G		2540C_Calc'd - Total Dissolved Solids	
Trip Blank - Hold		Drinking Water		180.4, 2120B, SM2150_Odor_B	
		Drinking Water		515.4_PREC - (MOD) 50 State	
				SM240B - Local Method	
				NO2NO3_Calc, SM2330B	
				524.2_TTM_Sum - Total Trihalomethanes	
				317 - Bromate	
				200.7_SDWA, 200.8_Hg, 200.8_SDWA	
				2320B, SM4500_H+	
				505_PREC - 50 State	
				900.0 - Standard Target List	
				904.0 - Standard Target List	
				903.0 - Standard Target List	
				Perform MS/MSD (Yes or No)	
				Field Filtered Sample (Yes or No)	
				Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Alp)	
				Preservation Code:	
				Sample Date	
				Sample Time	
				Sample Type (C=Comp, G=grab)	
				Field Filtered Sample (Yes or No)	
				Perform MS/MSD (Yes or No)	
				903.0 - Standard Target List	
				904.0 - Standard Target List	
				900.0 - Standard Target List	
				505_PREC - 50 State	
				2320B, SM4500_H+	
				200.7_SDWA, 200.8_Hg, 200.8_SDWA	
				317 - Bromate	
				524.2_TTM_Sum - Total Trihalomethanes	
				NO2NO3_Calc, SM2330B	
				SM240B - Local Method	
				515.4_PREC - (MOD) 50 State	
				180.4, 2120B, SM2150_Odor_B	
				2540C_Calc'd - Total Dissolved Solids	
				Total Number of containers	
				Special Instructions/Note:	
				380-79686 COC	
				QR Code	

Chain of Custody Record



Client Information Client Contact: Ed Rose Company: Harvest Spring Address: 743 Broad Street City: Weymouth State Zip: MA, 02189 Phone: Email: Project Name: Generic BAT (non-Coke/CGR/Shasta)_2024 Site:		Lab PM: Arada, Rachelle E-Mail: Rachelle.Arada@et.eurofins.com Carrier Tracking No(s): 380-51661-14866 2 State of Origin: Job #:	
Due Date Requested: TAT Requested (days): Compliance Project: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> PO #: Purchase Order not required WO #: Project #: 38006363 SSOV#:		Analysis Requested Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> 524.2 Pres. PREC. (MOD) SDWA 300. OF 28D. PREC. 300. OF 48H. PREC. 4500. F. C HA N XX Special Instructions/Note: Total Number of containers	
Sample Identification Sample Date: 1/24/24 Sample Time: 9:10 Sample Type (C=Comp, G=grab): G Matrix (Water, Seawater, On-water, Air): Drinking Water Preservation Code:		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 X - Trizma Y - EDTA Z - other (specify) Other:	
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested I, II, III, IV, Other (specify)			
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months			
Special Instructions/QC Requirements Empty Kit Relinquished by: [Signature] Relinquished by: [Signature] Relinquished by: Relinquished by: Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cooler Temperature(s) °C and Other Remarks: 63.1A 3.4-0.1-5.3 GBC			
Method of Shipment Date/Time: 1/23/24 0855 Received by: [Signature] Date/Time:		Date/Time: 1/24/24 8:30 Received by: [Signature] Date/Time:	



Bottle Order Information

Bottle Order: 664-029 Harvest Spring-Treated
 Bottle Order #: 14866
 Request From Client: 1/9/2024
 Date Order Posted: 1/9/2024 12:00:00AM
 Order Status: Ready To Process
 Prepared By: Rachelle Arada
Deliver By Date: 1/19/2024 11:59:00PM
 Lab Project Number: 38006363
 PWSID:

Order Completion Information

Creator: Rachelle Arada
 Filled by:
 Sent Date:
 Sent Via:
 Tracking #:

Seis	Bottles/Set	Qty	Bottle Type Description	Preservative	Method	Matrix	Sample Type	Comments	Lot #
1	1	1	Plastic 1 liter - Nitric Acid	Nitric Acid	903.0 - Standard Target List	Drinking W	Normal	STL	
1	1	1	Plastic 1 liter - Nitric Acid	Nitric Acid	904.0 - Standard Target List	Drinking W	Normal	STL	
1	1	1	Plastic 500ml - with Nitric Acid	Nitric Acid	900.0 - Standard Target List	Drinking W	Normal	STL	
1	3	3	Voa Vial 40ml Amber - Sodium thiosulfate	Sodium Thiosulfate	505_PREC - 50 State	Drinking W	Normal		
1	1	1	Plastic 250ml - unpreserved	None	SM4500_H+ - pH	Drinking W	Normal		
1	1	1	Plastic 500ml - with Nitric Acid	Nitric Acid	2320B - (MOD) All Forms Alkalinity	Drinking W	Normal		
1	1	1	Plastic 500ml - with Nitric Acid	Nitric Acid	200.7_SDWA - Ca, Mg, Na, K, Fe	Drinking W	Normal		
1	1	1	Plastic 125mL - ethylene diamine	Ethylene Diamine	200.8_Hg - Mercury	Drinking W	Normal		
1	0	0	No Container	None	200.8_SDWA - Metals by ICPMS (13)	Drinking W	Normal		
1	0	0	No Container	None	317 - Bromate	Drinking W	Normal		
1	0	0	No Container	None	524.2_TTHM_Sum - Total Trihalomethanes	Drinking W	Normal		
1	0	0	No Container	None	SM2330B - Local Method	Drinking W	Normal		
1	3	3	Voa Vial 60ml Amber - Sodium Sulfite	Sodium Sulfite	NO2NO3_Calc - Local Method	Drinking W	Normal		
1	1	1	Amber Glass 1 liter - unpreserved	None	SM2340B - Local Method	Drinking W	Normal		
1	1	1	Plastic 500ml - unpreserved	None	515.4_PREC - (MOD) 50 State	Drinking W	Normal		
1	3	3	Voa Vial 40ml Amber - Ascorbic Acid & HCL	Ascorbic Acid and Hydrochloric Acid	2120B - Color, Apparent	Drinking W	Normal		
1	1	1	Plastic 500ml - unpreserved	None	SM2150_Odor_B - Odor	Drinking W	Normal		
1	1	1	Plastic 500ml - unpreserved	None	180.1 - Turbidity	Drinking W	Normal		
1	3	3	Voa Vial 40ml Amber - Ascorbic Acid & HCL	Ascorbic Acid and Hydrochloric Acid	2540C_Calc - Total Dissolved Solids	Drinking W	Normal		
1	3	3	Voa Vial 40ml Amber - Ascorbic Acid & HCL	Ascorbic Acid and Hydrochloric Acid	524.2_Pres_PREC - (MOD) SDWA	Drinking W	Normal		

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.



1	2	Plastic 125mL - unpreserved	None	300_OF_48H_PREC - (MOD) Nitrate and Nitrite as N 300_OF_28D_PREC - Chloride and Sulfate 4500_F_C - Fluoride	Drinking W Drinking W Drinking W	Normal Normal Normal
1	0	No Container	None	524.2_TTHM_Sum - Total Trihalomethanes	Drinking W	Trip Blank
1	2	Voa Vial 40ml Amber - Ascor. Acid & HCL	Ascorbic Acid and Hydrochloric Acid	524.2_Pres_PREC - (MOD) SDWA	Drinking W	Trip Blank

Total Bottle Summary

Bottle Type Description	Preservative	Bottle Count
Amber Glass 1 liter - unpreserved	None	1
No Container	None	0
Plastic 1 liter - Nitric Acid	Nitric Acid	2
Plastic 125mL - ethylene diamine	Ethylene Diamine	1
Plastic 125mL - unpreserved	None	2
Plastic 250ml - unpreserved	None	1
Plastic 500ml - unpreserved	None	1
Plastic 500ml - with Nitric Acid	Nitric Acid	2
Voa Vial 40ml Amber - Ascor. Acid & HCL	Ascorbic Acid and Hydrochloric Acid	5
Voa Vial 40ml Amber - Sodium thiosulfate	Sodium Thiosulfate	3
Voa Vial 60ml Amber - Sodium Sulfite	Sodium Sulfite	3
Total Bottles:		21

Notes to Field Staff:



Scan QR code for field sampler instructions

Health and Safety Notes:

Preservative	Comment
Ascorbic Acid and Hydrochloric Acid	Contains 25mg/ml Ascorbic Acid. May cause mild irritation to skin and eyes. CAUTION! CONTAINS 1:1 HYDROCHLORIC ACID. Avoid skin and eye contact. If contact is made, FLUSH IMMEDIATELY with water.
Ethylene Diamine	CAUTION! CORROSIVE! CONTAINS ETYLENEDIAMINE. Harmful if inhaled. Use adequate ventilation. Harmful in contact with skin and eyes. If contact is made, FLUSH IMMEDIATELY with water.
Nitric Acid	CAUTION! STRONG OXIDIZER! CONTAINS 1:1 NITRIC ACID. Avoid skin and eye contact. If contact is made, FLUSH IMMEDIATELY with water.
Sodium Sulfite	CAUTION! CONTAINS SODIUM SULFITE. Harmful if inhaled. Use adequate ventilation. Avoid skin and eye contact. If contact is made, FLUSH IMMEDIATELY with water.

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.


ORIGIN ID:FMHA (781) 749-4849
EDWARD ROSE
ROCKY HARVEST, LLC
743 BROAD STREET
UNIT 1
EAST WEYMOUTH, MA 02189
UNITED STATES US

SHIP DATE: 22JAN24
ACTWGT: 35.00 LB
CAD: 30860009INET4662
DIMS: 24X14X14 IN
BILL CREDIT CARD

TO **MANUEL VASQUEZ**
EUROFINS EATON ANALYTICAL
941 CORPORATE CENTER DRIVE
LABORATORY
POMONA CA 91768

583J3/B014/9A/E3


(626) 386-1151 REF
INV
PO. DEPT.



TUE - 23 JAN 8:00A
FIRST OVERNIGHT

TRK# 7748 5879 9919
0201

X1 ONTA 91768
CA-US ONT



After printing this label
CONSIGNEE COPY - PLEASE PLACE IN FRONT OF POUCH
1 Fold the printed page along the horizontal line
2 Place label in shipping pouch and affix it to your shipment

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

- 1
- 2
- 3
- 4
- 5
- 6
- 7

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: (664) Water Quality Manager
Harvest Spring
743 Broad Street
Weymouth, Massachusetts 02189

Generated 2/19/2024 2:26:55 PM

JOB DESCRIPTION

664-030
Harvest Spring - Weymouth - Spring Treated

JOB NUMBER

380-82243-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Authorization



Generated
2/19/2024 2:26:55 PM

Authorized for release by
Rachelle Arada, Project Manager
Rachelle.Arada@et.eurofinsus.com
(626)386-1106

Case Narrative

Client: Harvest Spring
Project: 664-030

Job ID: 380-82243-1

Job ID: 380-82243-1

Eurofins Eaton Analytical Pomona

Job Narrative 380-82243-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Results are compliant with EEA's SOPs which have been accepted by regulatory authorities, except where non-conformances are noted either in the case narrative or with result flags. This is complaint with the TNI 2016 and ISO17025:2017 standards.

Receipt

The samples were received on 2/8/2024 9:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 6.3°C

Receipt Exceptions

The following samples were received at the laboratory outside the required temperature criteria: 664-030 Harvest Spring - Treated (380-82243-1) and Trip Blank - Hold (380-82243-2). This does not meet regulatory requirements. The client was contacted regarding this issue, and the laboratory was instructed to proceed with analysis per standing comment from client.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Sample Summary

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-82243-1
SDG: Harvest Spring - Weymouth - Spring Treated

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Collected</u>	<u>Received</u>
380-82243-1	664-030 Harvest Spring - Treated	Drinking Water	02/07/24 11:30	02/08/24 09:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7

Client Sample Results

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-82243-1
SDG: Harvest Spring - Weymouth - Spring Treated

Client Sample ID: 664-030 Harvest Spring - Treated

Lab Sample ID: 380-82243-1

Date Collected: 02/07/24 11:30

Matrix: Drinking Water

Date Received: 02/08/24 09:00

Method: 524.2 - Total Trihalomethanes

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Trihalomethanes, Total	<0.50		0.50		ug/L		02/13/24 17:03	1	YXX2

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
1,1,1,2-Tetrachloroethane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,1,1-Trichloroethane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,1,2,2-Tetrachloroethane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,1,2-Trichloroethane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,1-Dichloroethylene	<0.50	^3+	0.50		ug/L		02/13/24 17:03	1	Q6AD
1,1-Dichloroethane	<0.50	^3+ *1	0.50		ug/L		02/13/24 17:03	1	Q6AD
1,1-Dichloropropene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,2,3-Trichlorobenzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,2,3-Trichloropropane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,2,4-Trichlorobenzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,2,4-Trimethylbenzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,2-Dichloroethane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,2-Dichloroethene, Total	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,2-Dichloropropane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,3,5-Trimethylbenzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
1,3-Dichloropropane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
2,2-Dichloropropane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
2-Butanone (MEK)	<5.0	^3+	5.0		ug/L		02/13/24 17:03	1	Q6AD
2-Hexanone	<10		10		ug/L		02/13/24 17:03	1	Q6AD
Benzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Bromobenzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Bromochloromethane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Bromodichloromethane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Bromoethane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Bromoform	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Bromomethane (Methyl Bromide)	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Carbon disulfide	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Carbon tetrachloride	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Chlorobenzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Chloroethane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Chloroform (Trichloromethane)	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Chloromethane (methyl chloride)	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
cis-1,2-Dichloroethylene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
cis-1,3-Dichloropropene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Dibromochloromethane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Dibromomethane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Dichlorodifluoromethane	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Dichloromethane	<0.50	*+	0.50		ug/L		02/13/24 17:03	1	Q6AD
Diisopropyl ether	<3.0	^3+ *1	3.0		ug/L		02/13/24 17:03	1	Q6AD
Ethylbenzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Hexachlorobutadiene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Isopropylbenzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
m,p-Xylenes	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
m-Dichlorobenzene (1,3-DCB)	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Methyl-tert-butyl Ether (MTBE)	<0.50	^3+ *+	0.50		ug/L		02/13/24 17:03	1	Q6AD
Naphthalene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-82243-1
SDG: Harvest Spring - Weymouth - Spring Treated

Client Sample ID: 664-030 Harvest Spring - Treated

Lab Sample ID: 380-82243-1

Date Collected: 02/07/24 11:30

Matrix: Drinking Water

Date Received: 02/08/24 09:00

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
n-Butylbenzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
N-Propylbenzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
o-Chlorotoluene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
o-Dichlorobenzene (1,2-DCB)	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
o-Xylene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
p-Chlorotoluene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
p-Dichlorobenzene (1,4-DCB)	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
p-Isopropyltoluene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
sec-Butylbenzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Styrene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Tert-amyl methyl ether	<3.0		3.0		ug/L		02/13/24 17:03	1	Q6AD
Tert-butyl ethyl ether	<3.0		3.0		ug/L		02/13/24 17:03	1	Q6AD
tert-Butylbenzene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Tetrachloroethene (PCE)	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Toluene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
trans-1,2-Dichloroethylene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
trans-1,3-Dichloropropene	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Trichloroethylene (TCE)	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Trichlorofluoromethane (Freon 11)	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD
Trichlorotrifluoroethane	<0.50	*+	0.50		ug/L		02/13/24 17:03	1	Q6AD
Vinyl Chloride (VC)	<0.30		0.30		ug/L		02/13/24 17:03	1	Q6AD
Xylenes, Total	<0.50		0.50		ug/L		02/13/24 17:03	1	Q6AD

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,2-Dichloroethane-d4 (Surr)	111		70 - 130	02/13/24 17:03	1	Q6AD
4-Bromofluorobenzene (Surr)	97		70 - 130	02/13/24 17:03	1	Q6AD
Toluene-d8 (Surr)	91		70 - 130	02/13/24 17:03	1	Q6AD

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Color, Apparent	<2.0		2.0		Color Units		02/08/24 14:49	1	UFU5
Odor	1.0	H H3	1.0		T.O.N.		02/08/24 09:44	1	MQP5

Action Limit Summary

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-82243-1
SDG: Harvest Spring - Weymouth - Spring Treated

Client Sample ID: 664-030 Harvest Spring - Treated

Lab Sample ID: 380-82243-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Trihalomethanes, Total	<0.50		ug/L	80	0.50	524.2	Total/NA
1,1,1-Trichloroethane	<0.50		ug/L	200	0.50	524.2	Total/NA
1,1,2-Trichloroethane	<0.50		ug/L	5	0.50	524.2	Total/NA
1,1-Dichloroethylene	<0.50	^3+	ug/L	7	0.50	524.2	Total/NA
1,2,4-Trichlorobenzene	<0.50		ug/L	70	0.50	524.2	Total/NA
1,2-Dichloroethane	<0.50		ug/L	5	0.50	524.2	Total/NA
1,2-Dichloropropane	<0.50		ug/L	5	0.50	524.2	Total/NA
Benzene	<0.50		ug/L	5	0.50	524.2	Total/NA
Carbon tetrachloride	<0.50		ug/L	5	0.50	524.2	Total/NA
Chlorobenzene	<0.50		ug/L	100	0.50	524.2	Total/NA
cis-1,2-Dichloroethylene	<0.50		ug/L	70	0.50	524.2	Total/NA
Dichloromethane	<0.50	*+	ug/L	5	0.50	524.2	Total/NA
Ethylbenzene	<0.50		ug/L	700	0.50	524.2	Total/NA
o-Dichlorobenzene (1,2-DCB)	<0.50		ug/L	600	0.50	524.2	Total/NA
p-Dichlorobenzene (1,4-DCB)	<0.50		ug/L	75	0.50	524.2	Total/NA
Styrene	<0.50		ug/L	100	0.50	524.2	Total/NA
Tetrachloroethene (PCE)	<0.50		ug/L	5	0.50	524.2	Total/NA
Toluene	<0.50		ug/L	1000	0.50	524.2	Total/NA
trans-1,2-Dichloroethylene	<0.50		ug/L	100	0.50	524.2	Total/NA
Trichloroethylene (TCE)	<0.50		ug/L	5	0.50	524.2	Total/NA
Vinyl Chloride (VC)	<0.30		ug/L	2	0.30	524.2	Total/NA
Xylenes, Total	<0.50		ug/L	10000	0.50	524.2	Total/NA

Accreditation/Certification and Definitions Summary

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-82243-1
SDG: Harvest Spring - Weymouth - Spring Treated

Laboratory: Eurofins Eaton Analytical Pomona

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5890.01 & 5890.02	06-30-25
Alabama	State	41060	01-31-25
Arizona	State	AZ0833	02-27-24
Arkansas (DW)	State	CA00006	02-29-24
California	State	2813	06-18-25
Colorado	State	CA00006	01-31-25
Connecticut	State	PH-0107	03-31-24
Delaware (DW)	State	CA00006	02-29-24
Florida	NELAP	E871024	06-30-24
Georgia (DW)	State	947	01-31-24 *
Guam	State	23-004R	03-31-24
Hawaii	State	CA00006	01-31-24 *
Hawaii (Micro)	State	CA00006	01-31-24 *
Idaho (DW)	State	CA00006	01-31-25
Idaho (Micro)	State	CA00006	03-31-24
Illinois	NELAP	200033	03-17-24
Indiana	State	C-CA-01	06-18-25
Kansas	NELAP	E-10268	04-30-24
Kentucky (DW)	State	KY90107	12-31-24
Louisiana (DW)	State	LA008	12-31-24
Maine	State	CA00006A	03-08-24
Maryland	State	224	03-31-24
Massachusetts	State	M-CA006	06-30-24
MI - RadChem Recognition	State	9906	06-18-25
Michigan	State	9906	06-18-25
Mississippi	State	CA2813	06-18-25
Montana (DW)	State	CERT0035	01-01-25
Nebraska	State	NE-OS-21-13	01-31-25
Nevada	State	CA00006	07-31-24
New Hampshire	NELAP	2959	03-29-24
New Jersey	NELAP	CA008	06-30-24
New Mexico	State	CA00006	01-31-25
New York	NELAP	11320	04-01-24
North Carolina (DW)	State	06701	07-31-24
North Dakota	State	R-009	01-31-24 *
Northern Mariana Islands (DW)	State	CA00006	01-31-25
Ohio	State	87786	01-31-25
Oregon	NELAP	4034	01-29-25
Pennsylvania	NELAP	68-00565	10-31-24
Puerto Rico	State	CA00006	03-31-24
Rhode Island	State	LAO00381	12-30-24
South Dakota (DW)	State	CA11320	06-18-25
Tennessee	State	TN02839	01-31-25
Texas	NELAP	T104704230-23-21	09-30-24
USEPA UCMR 5	US Federal Programs	CA00006	12-31-25
Utah	NELAP	CA00006	01-31-25
Vermont	State	VT-0114	12-28-24
Virginia	NELAP	460260	06-14-24
Washington	State	C838	03-13-24
Wyoming	State	8-TMS-L	06-18-25

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification and Definitions Summary

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-82243-1
SDG: Harvest Spring - Weymouth - Spring Treated

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
*1	LCS/LCSD RPD exceeds control limits.
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased

General Chemistry

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
H3	Sample was received and analyzed past holding time. This does not meet regulatory requirements.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
MRL	Method Reporting Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
SDL	Sample Detection Limit
SDL	Sample Detection Limit
SDL	Sample Detection Limit
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Accreditation/Certification and Definitions Summary

Client: Harvest Spring
Project/Site: 664-030

Job ID: 380-82243-1
SDG: Harvest Spring - Weymouth - Spring Treated

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
TNTC	Too Numerous To Count

- 1
- 2
- 3
- 4
- 5
- 6
- 7

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

941 Corporate Center Drive
 Pomona, CA 91768-2642
 Phone (626) 386-1100

Chain of Custody Record

eurofins

Client Information Client Contact: Ed Rose Company: Harvest Spring Address: 743 Broad Street City: Weymouth State/Zip: MA, 02189 Phone: [Redacted] Email: [Redacted]		Lab PM: Arada, Rachelle E-Mail: Rachelle.Arada@eurofins.com Phone: 781-749-4849 PWSID: 4242006-01G		Carriage Tracking No(s): [Redacted] State of Origin: MA COC No: 380-52703-15162.1 Page: Page 1 of 1 Job #:	
Due Date Requested: TAT Requested (days): Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No PO #: [Redacted] WO #: [Redacted]		Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> 2120B_SM2150_Odor_B <input checked="" type="checkbox"/> N <input type="checkbox"/> HA 524.2_TTHM_Sum - Total Trihalomethanes <input checked="" type="checkbox"/> N <input type="checkbox"/> HA 524.2_Pres_PREC - (MOD) SDWA <input checked="" type="checkbox"/> N <input type="checkbox"/> HA		Analysis Requested Total Number of Containers: <input checked="" type="checkbox"/>	
Project Name: Generic BAT (non-Coke/CGR/Shasta)_2024 Site: S50W#		Matrix: (Water, Solid, On-wastebill, B1=TISSUE, A=AIR) Sample Type: (C=Comp, G=grab) Sample Date: 2/1/24 Sample Time: 11:30 Preservation Code: 6 Matrix: Drinking Water Trip Blank - Hold		Preservation Codes: M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify) Other:	
Special Instructions/Note: 360-82243 COC		Special Instructions/Note: [Redacted]		Special Instructions/Note: [Redacted]	
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested I, II, III, IV, Other (specify)		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months		Method of Shipment: [Redacted]	
Empty Kit Relinquished by: [Redacted]		Date: 2/7/24 2:30		Date/Time: 2-8-24 9:00	
Relinquished by: [Redacted]		Date/Time:		Date/Time:	
Relinquished by: [Redacted]		Date/Time:		Date/Time:	
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No		Cooler Temperature(s) °C and Other Remarks: 6.5-0.2 = 6.3 (630A) Sel Thawed	

